



Technical Data Sheet

YAPOX®2200

Composition	Mono Tert. Butyl Hydroquinone
CAS No.	1948-33-0
EC No.	219-552-0
Molecular Formula	C ₁₀ H ₁₄ O ₂
Molecular Weight	166

Property	Unit	Typical Value	Test Method
Appearance	-	White to light tan crystalline powder	Visual
Assay (Titration)	%	99.0 min.	QCD/TM/01
Solubility	-	Soluble in Alcohol, Acetone & Ethyl acetate	QCD/TM/81
Melting Point	°C	125.0 -128.5	QCD/TM/25
Volatile matter	%	1.0 Max.	QCD/TM/24
Water Content	%	0.2 Max.	QCD/TM/26
Ash Content	%	0.1 Max.	QCD/TM/11
Heavy Metals (As Pb)	ppm	10.0 Max.	QCD/TM/92

Application:

YAPOX®2200 is used as an polymerisation Inhibitor for Resins & Unsaturated Polyester/Antioxidant in Bio Diesel.

Packing:

Available in 25 Kg. Paper Bags.

Storage stability:

Store in a cool and dry place. Stable for up to 24 months from the date of manufacturing when stored in the original packing material in a cool and dry environment.

Safety:

Please refer safety data sheet.

Rev.03 DT.01.06.2020

YAPOX is a registered trademark of YASHO INDUSTRIES LIMITED and/or its respective wholly owned subsidiaries

YASHO INDUSTRIES LIMITED

REGISTERED OFFICE: Office No. 101/102, Peninsula Heights, C.D.Barfiwala Marg, Juhu lane, Andheri (West), Mumbai - 400058, India
TEL: +91 22 62510100/FAX : +91 22 62510199 E-Mail: info@yashoindustries.com

FACTORY - UNIT I: Plot No. 2514/2515, Phase IV, G.I.D.C., Vapi - 396 195, Gujarat, India TEL.: +91 260 2432421 / 2426894 / 2420447

Although every care has been taken in the completion of the above information & recommendation they are offered in good faith without guarantee.